

Anti-AKB48, synthetic cannabinoid, IgG**Rabbit Polyclonal Antibody
Cat. #1087 Lot Q0000**

LIMITATIONS: THIS PRODUCT IS FOR RESEARCH USE ONLY AND IS NOT APPROVED FOR THERAPEUTIC OR DIAGNOSTIC USE.

Background:

The Tulip Biolabs, Inc. Anti-KB48, synthetic cannabinoid, Cat. #1087, is a rabbit polyclonal IgG antibody. It has been used in a competitive ELISA format to test the presence of AKB48 metabolites and other synthetic cannabinoids. Cross-reactivity of various tested compounds are listed in Table 1, and sensitivity to detect AKB48 N-pentanoic acid analogue, a major metabolite in human urine, is shown in Figure 1.

Note: If this antibody is used in an immunoassay to detect synthetic cannabinoids, suspect test samples must be confirmed using an alternative analytical method, for example LC-MS-MS.

Immunogen:

AKB48 conjugated to a carrier protein.

Supplied As:

2 mg/ml of protein A purified rabbit IgG in phosphate buffered saline with 0.05% sodium azide preservative.

Storage and Stability:

Stable for 1 year from date of shipment when stored at -20 or -70°C. Stable for at least 1 month at 4°C. Avoid freeze/thaw cycles.

Specificity and Comments:

Recognizes the synthetic cannabinoid AKB48 N-5-hydroxy and N-pentanoic acid analogues (metabolites found in human urine) and other synthetic cannabinoid metabolites. There is significant cross-reactivity to UR-144 metabolites and MN-25 (see Table 1).

Applications and Suggested Dilutions:

ELISA (for 96-well plate coating use 1-3µg/mL)
Note: This antibody is used in the Cat. #4700 AKB48 Synthetic Cannabinoid ELISA Assay kit.
Other methods not tested.

Please note: This information is intended as a guide. The optimal concentrations must be determined by the user.

Tulip BioLabs Other Related Products:

Cat. #4700

AKB48 Synth Cannabinoids ELISA Kit.

Cat. #8702

AKB48 x HRP Conjugate.

Cat. #1066

Anti-K2/Spice, synthetic cannabinoids, IgG

Cat. #1072

Anti-JWH-250 (K2/Spice), IgG

Cat. #1083

Anti-UR-144/XLR-11 Synthetic Cannabinoid, IgG

Cat. #1086

Anti-PB-22 Synthetic Cannabinoid, IgG

Original Reference:

N/A

Useful References:

J.W. Huffman and D. Dai (1994) *Bioorg Med Chemistry* **4** 563

S. Dresen *et al.* (2010) *J Mass Spectrometry* **45** 760

M. Hutter *et al.* (2012) *J Mass Spectrometry* **47** 54


A. Wohlfarth *et al.* (2013) *Anal Chem* **85** 3730

Table 1. Drug and Metabolite Cross-Reactivity Relative to AKB48 N-pentanoic acid

Compound	Cross-reactivity, %
AKB48 N-pentanoic acid	100.0
AKB48 N-4-hydroxy	91.4
MN25	13.4
UR144 N-pentanoic acid	14.5
UR144 N-5-hydroxy	2.9
JWH250 N-pentanoic acid	6.6
JWH250 N-4-hydroxy	6.1
NNEI	4.0
ADB-PINACA	neg
JWH018 N-pentanoic acid	neg
JWH018 N-5-hydroxy	neg
AB-PINACA N-5-hydroxy	neg
MAM2201 N-4-hydroxy	neg
PB22 N-pentanoic acid	neg
PB22 N-5-hydroxy	neg
ADB-FUBINACA	neg

Note: Cross-reactivity was determined using Tulip Biolabs Cat. #4700 AKB48 Synthetic Cannabinoid ELISA Assay Kit. This ELISA incorporates microplates coated with anti-AKB48 (Cat. #1087).

Figure 1: AKB48 Metabolite Standard Curve



Note: AKB48 N-pentanoic acid was measured using Tulip Biolabs Cat. #4700 AKB48 Synthetic Cannabinoid ELISA Assay Kit . This ELISA incorporates microplates coated with anti-AKB48 (Cat. #1087).